

Measurement Year (MY) 2010 and Final MY 2011 P4P Measure Set

RED – Measure Set changes for MY 2011

	Year 8 Measures: Measurement Year 2010/ Reporting Year 2011	Year 9 Measures: Final Measurement Year 2011/ Reporting Year 2012
<p>CLINICAL DOMAIN <i>MEASURES TO BE COLLECTED, REPORTED AND RECOMMENDED FOR PAYMENT</i></p> <p>MY 2011 - <i>RESTRUCTURED INTO PRIORITY CONDITIONS</i></p>	<ol style="list-style-type: none"> 1. Childhood Immunization Status –Combination of all Antigens 2. Appropriate Testing for Children with Pharyngitis 3. Appropriate Treatment for Children with Upper Respiratory Infection 4. Asthma Medication Ratio 5. Chlamydia Screening in Women 6. Evidence-Based Cervical Cancer Screening 7. Breast Cancer Screening–Ages 40-69 8. Colorectal Cancer Screening 9. Cholesterol Management LDL Screening (<i>Pts. w/ Cardiovascular Conditions</i>) 10. Cholesterol Management: LDL Control <100 (<i>Pts. w/ Cardiovascular Conditions</i>) 11. Medication Monitoring (<i>ACEI/ARBs, digoxin, and diuretics</i>) 12. Avoidance of Antibiotic Treatment of Adults with Acute Bronchitis 13. Use of Imaging Studies for Low Back Pain 14. Adolescent Immunizations – (<i>Combination of Tdap and meningococcal</i>) 	<p><u>Cardiovascular</u></p> <ol style="list-style-type: none"> 1. Medication Monitoring for Patients on Persistent Medications–ACE/ARBs, Digoxin, and Diuretics 2. Cholesterol Management–LDL Screening 3. Cholesterol Management–LDL Control <100 <p><u>Diabetes</u></p> <ol style="list-style-type: none"> 1. HbA1c Testing 2. HbA1c Poor Control >9.0% 3. HbA1c Control <8.0% 4. HbA1c Control <7.0% 5. LDL Screening 6. LDL Control <100 7. Nephropathy Monitoring 8. Blood Pressure Control <140/90 9. Optimal Diabetes Care Combination 1 – LDL<100, HbA1c<8%, Nephropathy Monitoring <p><u>Musculoskeletal</u></p> <ol style="list-style-type: none"> 1. Use of Imaging Studies for Low Back Pain <p><u>Prevention</u></p> <ol style="list-style-type: none"> 1. Childhood Immunization Status–Combination of all antigens 2. Adolescent Immunizations–Combination of Tdap and meningococcal 3. Chlamydia Screening in Women 4. Evidence-Based Cervical Cancer Screening 5. Breast Cancer Screening–Ages 50-69 6. Colorectal Cancer Screening <p><u>Respiratory</u></p> <ol style="list-style-type: none"> 1. Asthma Medication Ratio 2. Appropriate Testing for Children with Pharyngitis 3. Appropriate Treatment for Children with Upper Respiratory Infection 4. Avoidance of Antibiotic Treatment of Adults with Acute Bronchitis
<p>PO Encounter Threshold for reporting¹</p>	<p>4.00 Encounters per member per year (using Encounter Rate by Service Type specs)</p>	<p>4.25 Encounters per member per year (using Encounter Rate by Service Type specs)</p>
<p><i>Clinical Weighting</i></p>	<p>40%</p>	<p style="color: red;">50%</p>

¹PO Encounter Threshold refers to the average number of encounters per member per year required for data to be included in clinical data aggregation and public reporting. For the purposes of payment, individual health plans may use a different encounter threshold. Please see P4P Manual for more information.

	Year 8 Measures: Measurement Year 2010/ Reporting Year 2011	Year 9 Measures: Final Measurement Year 2011/ Reporting Year 2012
COORDINATED DIABETES CARE <i>MEASURES TO BE COLLECTED, REPORTED AND RECOMMENDED FOR PAYMENT</i>	<ol style="list-style-type: none"> 1. HbA1c Screening 2. HbA1c Poor Control >9.0% 3. HbA1c Control <8.0% 4. HbA1c Control <7.0% for a Selected Population 5. LDL Screening 6. LDL Control <100 7. Nephropathy Monitoring 8. Blood Pressure Control for People with Diabetes 140/90 9. Optimal Diabetes Care Combo 1 (HbA1c <8.0%, LDL<100, Nephropathy Monitoring) 10. Diabetes Registry and Related Activities 11. Diabetes Care Management Program 	<p style="text-align: center;"><i>MOVED TO CLINICAL DOMAIN AS ONE OF THE PRIORITY CONDITIONS</i></p>
<i>Coordinated Diabetes Care Weighting</i>	20%	<i>MOVED TO CLINICAL DOMAIN</i>
PATIENT EXPERIENCE DOMAIN <i>MEASURES TO BE COLLECTED, REPORTED AND RECOMMENDED FOR PAYMENT</i>	<ol style="list-style-type: none"> 1. Getting Appointment with a Specialist 2. Rating of Specialist 3. Timely Care and Service Composite 4. Doctor-Patient Interaction Composite 5. Coordination of Care Composite 6. Rating of PCP 7. Rating of All Healthcare 8. Office Staff Composite 9. Health Promotion Composite 	<ol style="list-style-type: none"> 1. <i>Doctor-Patient Interaction Composite for PCPs</i> 2. <i>Doctor-Patient Interaction Composite for Specialists</i> 3. Coordination of Care Composite 4. <i>Timely Care and Service Composite for PCPs</i> 5. <i>Timely Care and Service Composite for Specialists</i> 6. Overall Ratings of Care Composite 7. Office Staff Composite 8. Health Promotion Composite
<i>Patient Experience Weighting</i>	20%	20%

	Year 8 Measures: Measurement Year 2010/ Reporting Year 2011	Year 9 Measures: Final Measurement Year 2011/ Reporting Year 2012
<p>IT-ENABLED SYSTEMNESS DOMAIN <i>MEASURES TO BE COLLECTED, REPORTED AND RECOMMENDED FOR PAYMENT</i></p> <p>MY 2011 – <i>DOMAIN RENAMED TO MEANINGFUL USE OF HEALTH IT (MUHIT)</i></p>	<ol style="list-style-type: none"> 1. Data Integration for Population Management <ol style="list-style-type: none"> a. Reporting Based on Electronic Information b. Identifying Important Conditions 2. Electronic Clinical Decision Support at the Point of Care 3. Care Management <ol style="list-style-type: none"> a. Coordination with Practitioners b. Chronic Care Management c. Continuity of Care 4. Electronic Reporting of Blood Pressure for People with Hypertension 5. Physician Measurement and Reporting 	<ol style="list-style-type: none"> 1. Use of CPOE for medication orders directly entered by any licensed healthcare professional who can enter orders into the medical record per state, local and professional guidelines 2. Implement drug-drug and drug-allergy interaction checks 3. Generate and transmit permissible prescriptions electronically (eRx) 4. Record demographics: preferred language, gender, race, ethnicity, date of birth 5. Maintain an up-to date problem list of current and active diagnoses 6. Maintain active medication list 7. Maintain active medication allergy list 8. Record and chart changes in vital signs: Height, Weight, Blood Pressure, Calculate and display BMI, Plot and display growth charts for children 2-20 years including BMI 9. Record smoking status for patients 13 years old or older 10. Implement one clinical decision support rule relevant to specialty or high clinical priority, along with the ability to track compliance with that rule 11. Report ambulatory clinical quality measures to CMS or the States 12. Provide patients with an electronic copy of their health information (including diagnostic test results, problem list, medication lists, medication allergies), upon request 13. Provide clinical summaries for patients at each office visit 14. Capability to exchange key clinical information (for example, problem list, medication list, medication allergies, diagnostic test results), among providers of care and patient authorized entities electronically 15. Protect electronic health information created or maintained by the certified EHR technology through the implementation of appropriate technical capabilities 16. Generate patient lists by specific conditions 17. Send patient reminders per patient preference for preventive/follow-up care 18. Chronic Care Management for Diabetes, Depression, and one other Clinically Important Condition
<i>IT-Enabled Systemness Weighting</i>	20%	30%

	Year 8 Measures: Measurement Year 2010/ Reporting Year 2011	Year 9 Measures: Final Measurement Year 2011/ Reporting Year 2012
<p>APPROPRIATE RESOURCE USE DOMAIN <i>MEASURES TO BE COLLECTED, INTERNALLY REPORTED AND RECOMMENDED FOR PAYMENT</i></p>	<ol style="list-style-type: none"> 1. Inpatient Utilization—Acute Care Discharges PTMY 2. Inpatient Utilization—Bed Days PTMY 3. Inpatient Readmission Within 30 4. Emergency Department Visits PTMY 5. Outpatient Procedures Utilization—% Done in Preferred Facility 6. Generic Prescribing (7 therapeutic areas) 	<ol style="list-style-type: none"> 1. Inpatient Utilization—Acute Care Discharges PTMY 2. Inpatient Utilization—Bed Days PTMY 3. Inpatient Readmission Within 30 4. Emergency Department Visits PTMY 5. Outpatient Procedures Utilization—% Done in Preferred Facility 6. Generic Prescribing: SSRIs/SNRIs 7. Generic Prescribing: Statins 8. Generic Prescribing: Anti-Ulcer Agents 9. Generic Prescribing: Cardiac—Hypertension and Cardiovascular 10. Generic Prescribing: Nasal Steroids 11. Generic Prescribing: Diabetes—Oral 12. Generic Prescribing: Anxiety/Sedation—Sleep Aids 13. Total Cost of Care (baseline)
<i>Efficiency Weighting</i>	Gain-sharing	Gain-sharing
<p>REPORTABLE NON-PAYMENT MEASURES <i>MEASURES TO BE COLLECTED AND PUBLICLY REPORTED, BUT NOT RECOMMENDED FOR PAYMENT</i></p>	<p>Medicare Measures:</p> <ol style="list-style-type: none"> 1. Breast Cancer Screening – Ages 40-69 2. Cholesterol Management LDL Screening (<i>Pts. w/ Cardiovascular Conditions and Diabetics</i>) 3. Cholesterol Management: LDL Control <100 (<i>Pts. w/ Cardiovascular Conditions and Diabetics</i>) 4. Diabetes Care HbA1c Screening 5. Diabetes Care HbA1c Poor Control >9.0% 6. Diabetes Care HbA1c Control <8.0% 7. Diabetes Care LDL Screening 8. Diabetes Care LDL Control < 100 9. Nephropathy Monitoring for Diabetic Patients 10. Blood Pressure Control for People with Diabetes <140/90 11. Optimal Diabetes Care – Combination 1 (<i>HbA1c Control <8.0%, LDL Control <100, Nephropathy Monitoring</i>) 12. Colorectal Cancer Screening 13. Medication Monitoring (<i>ACEI/ARB, digoxin, diuretics</i>) 	<p>Medicare Measures:</p> <ol style="list-style-type: none"> 1. Breast Cancer Screening—Ages 50-69 2. Colorectal Cancer Screening (Stars C02) 3. Cholesterol Management—LDL Screening (Stars C03) 4. Diabetes Care—LDL Screening (Stars C04) 5. Diabetes Care –Nephropathy Monitoring (Stars C18) 6. Diabetes Care—HbA1c Poor Control >9% (Stars C19) 7. Diabetes Care—LDL<100 (Stars C20)

	<p style="text-align: center;">Year 8 Measures: Measurement Year 2010/ Reporting Year 2011</p>	<p style="text-align: center;">Year 9 Measures: Final Measurement Year 2011/ Reporting Year 2012</p>
<p>TESTING MEASURES <i>MEASURES TO BE COLLECTED FOR TESTING AND ANALYSIS</i></p>	<p><u>Appropriate Resource Use</u> 1. Total Cost of Care (baseline)</p>	<p><u>Clinical–Commercial</u></p> <ol style="list-style-type: none"> 1. HPV Vaccination for Adolescent Females 2. Proportion of Days Covered by Medications–ACEIs/ARBs 3. Proportion of Days Covered by Medications–Statins 4. Proportion of Days Covered by Medications–Oral Diabetes Medications <p><u>Clinical–Medicare</u></p> <ol style="list-style-type: none"> 1. Proportion of Days Covered by Medications–Oral Diabetes Medications (Stars D15) 2. Proportion of Days Covered by Medications–ACEI/ARBs (Stars D16) 3. Proportion of Days Covered by Medications–Statins (Stars D17) 4. Glaucoma Screening in Older Adults (Stars C05) 5. Adults' Access to Preventive/Ambulatory Health Services (Stars C11) 6. Adult BMI Assessment (Stars C12) 7. Care for Older Adults–Medication Review (Stars C13) 8. Care for Older Adults–Functional Status Assessment (Stars C14) 9. Care for Older Adults–Pain Screening (Stars C15) 10. Osteoporosis Management in Women Who Had a Fracture (Stars C16) 11. Eye Exams for Diabetics (Stars C17) 12. Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (Stars C22) 13. All-Cause Readmissions (Stars C25) <p><u>Appropriate Resource Use Domain–Commercial</u></p> <ol style="list-style-type: none"> 1. Frequency of Selected Procedures–Back Surgery 2. Frequency of Selected Procedures–Total Hip Replacement 3. Frequency of Selected Procedures–Total Knee Replacement 4. Frequency of Selected Procedures–Bariatric Weight Loss Surgery 5. Frequency of Selected Procedures–PCI 6. Frequency of Selected Procedures–Cardiac Catheterization 7. Frequency of Selected Procedures–CABG 8. Frequency of Selected Procedures–Carotid Endarterectomy